

UltraTape


Edelstahl Abroller für Reinraum-Klebebänder

#UT962

pure¹¹-Nr. : 1120118 , Marke : UltraTape

Eigenschaften

- Marke: UltraTape
- Material Reinraum Arbeitsplatz: Edelstahl



Empfohlene Reinraumklassen

ISO
GMP

Material

-

Verpackung

- STK

pure¹¹ GmbH

Bavariafilmplatz 7 | D-82031 Grünwald

Geschäftsführer: Julian Kropp

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

www.pure11.de

info@pure11.de

Produktvarianten

pure¹¹-Nr.: 1120118, Edelstahl Abroller für Reinraum-Klebebänder #UT962

Passend für Klebebänder / VE: STK

pure¹¹ GmbH

Bavariafilmpfad 7 | D-82031 Grünwald

Geschäftsführer: Julian Kropp

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

www.pure11.de

info@pure11.de

UT962 Single Roll Stainless Steel Dispenser

Description

The UT962 is an industrial stainless steel dispenser, couple with the mounting brackets on the bottom.

- Replaceable electroplated chrome serrated blades
- Corrosion resistant
- Autoclavable
- ESD Groundable

Properties

Stainless Steel	.140" (3.5mm) thick 304-grade
Weight	2.4 lbs. (1.1 kg)
Blade	Electroplated Chrome
Core Holder	3" Plastic
Max Roll Width	2.0"
Dimensions	8.5"(L) x 2.5"(W) x 3.75"(H)
Operating Temperature	Operating Temp
Autoclave	121°C at 30 minutes
Bench Mountable	Yes
Colors	Silver

To achieve ultimate adhesion, the bonding surface should be dry, clean and free of dirt and oils. The strength of the adhesive bond is dependent on the amount of surface area directly contacting the adhesive. Firm pressure is recommended to obtain good adhesive to surface contact.

Values should not be used for specification purposes. Each user should make their own test to determine the products suitability for their own intended use and shall assume all risks and liabilities in connection therewith. Materials should be stored at 70°F (21°C) with 50% relative humidity.

