


Berkshire



## Tuch Ultraseal 3000

pure<sup>11</sup>-Nr. : 1106023 , Marke : Berkshire

### Eigenschaften

- Marke: Berkshire
- Flächengewicht in g/m<sup>2</sup>: 145 g/m<sup>2</sup>
- Anzahl Lagen: 2
- Struktur: Gestrick
- Material: Polyester
- Lieferform in Verpackung: gelegt
- Verpackungsform: Beutel
- Anzahl in kleinster Unterverpackung: 100
- Autoklavierbar
- Kantenverarbeitung: breit versiegelt
- Besonders reißfest
- Chemikalienbeständigkeit
- Gebrauch: Einweg
- Polyester/PES: 100 %
- Vorgewaschen

### Material

- Polyester

### Verpackung

- 800STK

## Empfohlene Reinraumklassen

ISO 4 | 5 | 6 | 7 | 8 | 9

GMP C | D



pure<sup>11</sup> GmbH

Bavariafilmplatz 7 | D-82031 Grünwald

Geschäftsführer: Julian Kropp

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

www.pure11.de

info@pure11.de

---

## Produktvarianten

---

**pure<sup>11</sup>-Nr.: 1106023, Tuch Ultraseal 3000**

Größe: 23 x 23 cm (9 x 9"); Farbe: Weiß / VE: 800STK

---

**pure<sup>11</sup> GmbH**

Bavariafilmplatz 7 | D-82031 Grünwald

Geschäftsführer: Julian Kropp

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

[www.pure11.de](http://www.pure11.de)

[info@pure11.de](mailto:info@pure11.de)

## UltraSeal® 3000

### Sealed Edge Cleanroom Laundered 100% Polyester Knit wiper

UltraSeal® 3000 is a high sorbency, tubular, sealed edge cleanroom laundered two-ply wiper required for ISO Class 3 and above environments composed of 100% continuous filament polyester knit fabric.

These properties provide UltraSeal® 3000 with the highest level of cleanliness, abrasion resistance and chemical compatibility required for ISO Class 3 and above environments and applications requiring

critical control of contaminants combined with superior performance. UltraSeal® 3000 provides excellent cleaning effectiveness in tough applications due to patented edge seal and pinsonic design.



#### Key Attributes

- 100% continuous filament polyester knit
- Two-ply pinsonic tubular construction
- Patented sealed edge process for reduced fiber contamination; Patent #5,229,181
- Laundered and packaged in Berkshire's ISO Class 4 cleanroom

#### Benefits

- Critically low particles, fibers, ions and extractables
- Chemically compatible with IPA, Acetone and other solvents
- High sorbency level
- Pinsonic design adds surface texture that aids in stubborn residue removal
- Patented sealed edge process combined with tubular design offers excellent abrasion resistance for the toughest cleaning applications

#### Environmental

- Complies with RoHS

#### Applications

- Designed for use in ISO Class 3 and higher cleanroom environments
- Designed for the highest level of contamination control in critical processing applications
- Excellent for spill control and processing areas where sorbency is of importance
- Chamber cleaning and CMP processing
- Designed for removal of tough residues in critical applications
- Steam autoclavable for aseptic applications
- Cleaning of medical device products
- Removing cleaning and disinfecting solutions

#### Other Class 3 and above wipers

- MicroSeal SuperSorb®
- MicroSeal®1200
- MicroSeal®VP
- ValuSeal®-LP
- ValuSeal®-HA
- ValuSeal®1500

#### Value Pack Option

The value pack option provides the same great performance in a more economical bulk packaging format.

#### Pre-Wetted Option

The same wiper material can be provided in pre-wetted formats for reduced VOC emissions, increased convenience, increased productivity, improved solvent control and cleaning protocol repeatability and reduced costs.

#### Sterile Validated Option

For aseptic processing areas, the same wiper material can be provided in a gamma irradiated validated sterile to a 10<sup>-6</sup>

[www.berkshire.eu.com](http://www.berkshire.eu.com)

Contact: Tel 44 (0) 870 757 2877  
enquiries@berkshire.uk.com

America	Tel 1 413 528 2602	Fax 1 413 528 2614	info@berkshire.com
Europe	Tel 44 (0) 870 757 2877	Fax 44 (0) 870 757 2878	enquiries@berkshire.uk.com
SE Asia	Tel 65 6252 4313	Fax 65 6252 4312	enquiries@berkshire.com.sg
Japan	Tel 81 3 5827 2380	Fax 81 3 5827 2382	master@berkshire.co.jp

## Technical Data:

Attribute		Units	Value	Test Method
Basis Weight		g/m <sup>2</sup>	145	TAPPI T-410
Caliper		µm	418	TAPPI T-411
Fibers	≥100µm	fibers/cm <sup>2</sup>	0.032	IEST-RP-CC004.3, Sec 6.1.3 / Sec 6.2.2
Particles	≥0.5µm	x10 <sup>3</sup> /cm <sup>2</sup>	0.71	IEST-RP-CC004.3, Sec 6.1.3 / Sec 6.2.1
Sorbency	Capacity	mL/m <sup>2</sup>	418	IEST-RP-CC004.3, Sec 8.1 modified / Sec 8.2 modified
	Efficiency	mL/g	2.9	
	Rate	seconds	1	
Non-Volatile Residue	DI Water	g/m <sup>2</sup>	0.0039	IEST-RP-CC004.3, Sec 7.1.2
	IPA	g/m <sup>2</sup>	0.021	
Ions	Na <sup>+</sup>	ppm	0.014	IEST-RP-CC004.3, Sec 7.2.2
	K <sup>+</sup>	ppm	0.081	
	Ca <sup>++</sup>	ppm	0.012	
	Mg <sup>++</sup>	ppm	0.0037	
	Cl <sup>-</sup>	ppm	0.044	

### Notes:

- Technical data represented in this table are typical values at the time of publication. These should not be used as product specifications.
- Due to differences in test methods applied and equipment utilized by different wiper manufacturers, valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions
- Third party testing can be performed upon request

## Order Information:

Product	Number	Size	Shts/pk	Pks/cs	Style
UltraSeal® 3000	US3000.0909.8	9x9" (23x23cm)	100	8	Stacked

## Other Berkshire Products




Wipers



Glove Liners




Mop Systems



Documentation Systems



Face Masks



Swabs