

## Klebefolienmatte L30-8

pure<sup>11</sup>-Nr. : 1108023 , Marke : Purus

### Eigenschaften

- Marke: Purus
- Breite in cm: 61 cm
- Länge in cm: 91 cm
- Dicke/Stärke der Matte (in mm): 1 mm
- Anzahl Lagen: 30
- Abnehmende Indexnummerierung
- Material: Polystyrene
- Klebestärke: mittel
- Farbe: Weiß
- Farbe der einzelnen Klebefolien: Weiß
- antimikrobiell ausgerüstet

### Material

- Polystyrene

### Verpackung

- 8STK

## Empfohlene Reinraumklassen

ISO 4 | 5 | 6 | 7 | 8 | 9

GMP C | D

pure<sup>11</sup> GmbH

Bavariafilmplatz 7 | D-82031 Grünwald

Geschäftsführer: Julian Kropp

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

www.pure11.de

info@pure11.de

---

## Produktvarianten

**pure<sup>11</sup>-Nr.: 1108023, Klebefolienmatte L30-8**

Farbe: Weiß; Größe: 61 x 91 cm / VE: 8STK

---

**pure<sup>11</sup> GmbH**

Bavariafilmplatz 7 | D-82031 Grünwald

Geschäftsführer: Julian Kropp

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

[www.pure11.de](http://www.pure11.de)

[info@pure11.de](mailto:info@pure11.de)



# PURUS EnviroTack™ Mats

## A Revolutionary Step Forward

PURUS EnviroTack™ Mats are the first ever contamination control product containing renewable plant-based materials, providing an environmentally friendly alternative for socially responsible organizations.

## For Cleanroom, Hospital, and Industrial Use

PURUS EnviroTack™ Mats remove and contain dirt and mats are available in 30 or 60-layer versions. Each layer of the mat is fully coated with a particle grabbing adhesive and constructed of low-density polyethylene film. A low-profile numbered tab indicates the number of remaining layers and ensures one-layer-at-a-time removal.



### Earth Friendly\*

Contains GMO free, renewable, plant based Cardia Biohybrid™ material that reduces CO2 emissions.



### Strong and Effective

Adhesive coated mats deliver the same reliable and high-end performance



### No Cost Impact

Earth friendly without paying more.



### Image Enhancer

Improves your corporate image by lowering your carbon footprint.



### Full-Service and Support

Backed by Purus International's world-class service and customer support.



### Recyclable\*\*

Can be recycled in conventional plastic recycling streams.

## Our Impact\*\*\*

Based on Purus International's current annual production volume of approximately one million pounds, PURUS EnviroTack™ Mats will save 135 metric tons of CO2 emissions, the equivalent of carbon sequestered by 160 acres of forests in one year.

\* Life Cycle Assessment performed by the Centre for Design at RMIT University

\*\* Recycling analysis performed by Smith RAPRA Technology

\*\*\* Environmental Ecosystem analysis performed by ExcelPlas

Purus International, Inc.

+353 61 496662 | sales@puruseurope.com | puruseurope.com

PURUS, EnviroTack™, ® or TM are owned by Purus International, Inc. © 2022 Purus International, Inc. All Rights Reserved.




SCAN HERE TO LEARN MORE





## PURUS EnviroTack™ Specifications

	Regular Tack	High Tack
Film	LDPE Bend	LDPE Bend
Film Thickness	1.3 ± 2 mil / 33 µm	1.3 ± 2 mil / 33 µm
Adhesive	Acrylic	Acrylic
Adhesive Thickness	0.3 mil / 8 µm	0.3 mil / 8 µm
Peel Adhesion "top"	6.5 oz. / 190g/25mm ± 40	9.25 oz. / 250g/25mm ± 40
Heat Resistance	158°F / 70° C – 48 Hours	158°F / 70° C – 48 Hours

## Colours, Sizes, and Catalogue Numbers

Colour	Size	Regular Tack			High Tack		
		30 Layer-4/cs	30 Layer-8/cs	60 Layer-4/cs	30 Layer-4/cs	30 Layer-8/cs	60 Layer-4/cs
	457 X 914	PS 1836 34 W	PS 1836 38 W	PS 1836 64 W	-	-	-
	457 X 1143	PS 1845 34 W	PS 1845 38 W	PS 1845 64 W	-	PS 1845 38 W-HT	-
	610 X 762	PS 2430 34 W	-	PS 2430 64 W	-	-	PS 2430 64 W-HT
	610 X 914	-	PS 2436 38 W	PS 2436 64 W	-	-	-
	660 X 1143	PS 2645 34 W	PS 2645 38 W	PS 2645 64 W	-	PS 2645 38 W-HT	PS 2645 64 W-HT
	914 X 914	-	PS 3636 38 W	PS 3636 64 W	-	-	-
	914 X 1143	PS 3645 34 W	PS 3645 38 W	PS 3645 64 W	-	-	PS 3645 64 W-HT
	914 X 1524	PM 3660 34 W	-	-	-	-	-

Colour	Size	Regular Tack			High Tack		
		30 Layer-4/cs	30 Layer-8/cs	60 Layer-4/cs	30 Layer-4/cs	30 Layer-8/cs	60 Layer-4/cs
	457 X 914	-	PS 1836 38 B	PS 1836 64 B	-	PS 1836 38 B-HT	-
	457 X 1143	PS 1845 34 B	PS 1845 38 B	PS 1845 64 B	-	PS 1845 38 B-HT	-
	610 X 762	PS 2430 34 B	-	PS 2430 64 B	-	-	-
	610 X 914	-	PS 2436 38 B	PS 2436 64 B	-	PS 2436 38 B-HT	-
	660 X 1143	PS 2645 34 B	PS 2645 38 B	PS 2645 64 B	-	PS 2645 38 B-HT	-
	914 X 914	-	PS 3636 38 B	PS 3636 64 B	-	-	-
	914 X 1143	PS 3645 34 B	PS 3645 38 B	PS 3645 64 B	-	-	-
	914 X 1524	PM 3660 34 B	-	-	-	-	-

Colour	Size	Regular Tack			High Tack		
		30 Layer-4/cs	30 Layer-8/cs	60 Layer-4/cs	30 Layer-4/cs	30 Layer-8/cs	60 Layer-4/cs
	457 X 914	PS 1836 34 G	PS 1836 38 G	PS 1836 64 G	-	-	-
	457 X 1143	PS 1845 34 G	PS 1845 38 G	PS 1845 64 G	-	-	-
	610 X 762	PS 2430 34 G	-	PS 2430 64 G	-	-	-
	610 X 914	-	PS 2436 38 G	PS 2436 64 G	-	-	-
	660 X 1143	PS 2645 34 G	PS 2645 38 G	PS 2645 64 G	-	-	-
	914 X 914	-	PS 3636 38 G	PS 3636 64 G	-	-	-
	914 X 1143	PS 3645 34 G	PS 3645 38 G	PS 3645 64 G	-	-	-
	914 X 1524	PM 3660 34 G	-	-	-	-	-

Manufactured in ISO 9001 certified facility

Purus International, Inc.

+353 61 496662 | sales@puruseurope.com | puruseurope.com

PURUS, EnviroTack™, ® or TM are owned by Purus International, Inc. © 2022 Purus International, Inc. All Rights Reserved.



SCAN HERE TO LEARN MORE