



Mundschutz BioClean MTA

pure¹¹-Nr.: 03412, Hersteller: BioClean



Zusammenfassung

- Neue pure11-Artikelnummer (ab 01.07.2023): 1103412
- Material: Polypropylen
- Nasenbügel
- Latexfrei

Empfohlene Reinraumklassen

ISO	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
GMP	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Produktvarianten

pure¹¹-Nr.: 03412W

Farbe: Weiß / Herst.-Nr.: MTA-210-1 / VE: 500 Stück

Quelle: <https://www.pure11.de/mundschutz-bioclean-mta>

“ ULTRA-LOW PARTICULATION ”

Latex-free
& low-linting

High
BFE & PFE

Excellent
breathability

Low particle shedding
& high strength seams

MASTER CODE

SPECIFICATIONS

PACKAGING

MTA

210mm
Tie-on

One piece per sealed pouch
50 pouches per sealed bag
Recyclable Components



GB10/81851



GB04/61092

UK e-mail: info@nitritex.com
Tel: +44 (0) 1638 663338
Fax: +44 (0) 1638 668890
Nitritex Ltd, CB8 7YY, United Kingdom


MASTER CODE

MTA

RE-ORDER CODE PACK

MTA 210-1 Single

PRODUCT ILLUSTRATION



COLOUR:	White.
TYPE:	Tie-on.
SIZE:	210mm Length.
CONSTRUCTION:	3 ply - Ultrasonic sealing. Outer facing: Polyester Non-woven Filter layer: Polyester Meltblown Non-woven Inner facing: Polypropylene/Polyethylene Non-woven Headloops: Non-Latex Polyurethane Band Nose-band: Single Steel coated with Polypropylene
STERILIZATION METHOD:	Gamma irradiation
PHYSICAL PROPERTIES:	Particle filtration efficiency (PFE) >96% Bacterial filtration efficiency (BFE) >94% Pressure drop (Delta P) 3.2
PACKING:	Bagged.
PARTICLE SHEDDING:	Average Particle Count = 19/minute (Particle size: 0.2 - 5.0 microns).
TEST METHOD:	ASTM F51-68 (1989).
QUALITY SYSTEMS:	Produced in a facility registered to ISO 9001:2008 and ISO 13485:2003.
SAMPLING & INSPECTION:	In accordance with ISO 2859 standard procedures.
STORAGE INSTRUCTIONS:	Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.
SHELF LIFE:	Five (5) years from date of manufacture.
LOT NUMBER:	This is shown on all the bags and the carton to provide product traceability.
COMPATIBILITY:	Processed to ensure ISO Class 4 compatibility.
PACKAGING:	One piece per sealed pouch; 50 pouches per sealed outer bag; 10 outer bags per carton (500 pieces).

MTA/0413/PDS7

Contacts:

EUROPE (Headquarters)
MALAYSIA (Manufacturing)
AMERICAS
SINGAPORE
CHINA

europa@bioclean.com
malaysia@bioclean.com
americas@bioclean.com
singapore@bioclean.com
china@bioclean.com