



Überschuhe BioClean ESD

pure¹¹-Nr.: 03612, Hersteller: BioClean



Zusammenfassung

- Neue pure11-Artikelnummer (ab 01.07.2023): 1103612
- Material: Polypropylen
- Gewicht: 42 g/m²
- Stärke: ca. 0,08 mm
- Maße: 16" (40,5 x 17,0 cm), 18" (45,5 x 17,0 cm)
- ESD-gerecht

Empfohlene Reinraumklassen

ISO 3 4 5 6 7 8 9

GMP C D

Produktvarianten

pure¹¹-Nr.: 03612B18

Farbe: Blau / Größe: 18" / Herst.-Nr.: ESD018B / VE: 1.000 Stück

pure¹¹-Nr.: 03612W16

Farbe: Weiß / Größe: 16" / Herst.-Nr.: ESD016W / VE: 1.000 Stück

pure¹¹-Nr.: 03612W18

Farbe: Weiß / Größe: 18" / Herst.-Nr.: ESD018W / VE: 1.000 Stück

Quelle: <https://www.pure11.de/ueberschuhe-bioclean-esd>

BIOCLEAN ESD

Cleanroom Overshoes ESD

About

BioClean ESD Cleanroom Overshoes have non-marking conductive tape providing dissipative properties when worn as instructed.

Specifications

TEARING STRENGTH:
0.9kg (min)

MATERIAL:
Shoe: non-woven spunbonded polypropylene
Tape: Polyester filament yarn (96%) with conductive nylon carbon filament yarn (4%)

THICKNESS:
0.08mm

HEIGHT:
170mm (6.5")

LENGTH:
Shoe: 400mm (16") & 455mm (18").
Tape: 61cm (24").

CONSTRUCTION:
Shoe: Non-woven spun-bonded polypropylene. Tape: Polyester filament yarn (96%) with conductive nylon carbon filament yarn (4%). Conductivity: Consistently below 35 Megohms

COLOUR:
White (16" or 18") or Blue (18" only)

Features

- Non-marking conductive tape
- ESD properties

ISO CLASS 5 COMPATIBLE

ESD PROPERTIES



Quality Standards

- Manufactured in a facility holding ISO 9001:2015 certification
- Processed in an NEBB certified ISO Class 5 cleanroom environment

Shelf Life & Storage

Five (5) years from date of manufacture. Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

Physical Properties

PRODUCT CODE	LENGTH(±5%)	HEIGHT(±5%)	Conductivity
ESD016W	406mm	170mm	< 35 Megohms
ESD018W	457mm	170mm	
ESD018B	457mm	170mm	

TO ORDER

Re-order code

Size

ESD016W	White 16" (406mm)
ESD018W	White 18" (457mm)
ESD018B	Blue 18" (457mm)

Packing

100 pieces per sealed inner PE bag; one inner bag per sealed outer PE bag; 10 outer bags per lined carton (1000 pieces)

Please Note: When donning the ESD overshoes ensure that the loose black tape is located at the back/heel of the foot and is tucked securely inside the users sock making sure the tape is in direct contact with the skin.

For additional information visit us at www.bioclean.com, or call us at +44 1638 663338

Nitritex Ltd

Minton Enterprise Park
Oaks Drive
Newmarket, Suffolk
CB8 7YY
United Kingdom

ESD/1811/PDS28

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of accessory for a specific application.

Ansell, ® and TM are trademarks owned by Ansell Limited or one of its affiliates. © 2012 – 2018 Ansell Limited. All Rights Reserved.

The Ansell logo consists of the word "Ansell" in a bold, blue, sans-serif font. A green swoosh underline is positioned beneath the letters "n" and "e".

Declaration of Conformity

Nitritex Ltd declares that the following product

BioClean ESD Cleanroom Overshoes

are free from:

Lead (Pb),
Cadmium (Cd),
Mercury (Hg),
Hexavalent chromium (Hex-Cr),
Polybrominated biphenyls (PBB), and
Polybrominated diphenyl ethers (PBDE)

EAUen

Emma Allen
Quality Manager

24/02/2016

Dated