



Synthetikhandschuhe BioClean Fusion

pure¹¹-Nr.: 05552, Hersteller: BioClean



Zusammenfassung

- Neue pure11-Artikelnummer (ab 01.07.2023): 1105552
- Art: Sonstige Handschuhe
- Material: Neopren
- Beidhändig tragbar
- Puderfrei
- Latexfrei
- AQL-Wert (Acceptable Quality Level): 0.65
- Texturierte Fingerspitzen
- Gut geeignet zum Double-Gloving
- Beständig gegen eine Vielzahl von Zytostatika
- Gute Chemikalienbeständigkeit

Empfohlene Reinraumklassen

ISO



GMP



Produktvarianten

pure¹¹-Nr.: 05552XS

Farbe: Grün / Größe: XS / Herst.-Nr.: BFAP-XS / VE: 1.000 Stück

pure¹¹-Nr.: 05552S

Farbe: Grün / Größe: S / Herst.-Nr.: BFAP-S / VE: 1.000 Stück

pure¹¹-Nr.: 05552M

Farbe: Grün / Größe: M / Herst.-Nr.: BFAP-M / VE: 1.000 Stück

pure¹¹-Nr.: 05552L

Farbe: Grün / Größe: L / Herst.-Nr.: BFAP-L / VE: 1.000 Stück

pure¹¹-Nr.: 05552XL

Farbe: Grün / Größe: XL / Herst.-Nr.: BFAP-XL / VE: 1.000 Stück

pure¹¹-Nr.: 05552XXL

Farbe: Grün / Größe: XXL / Herst.-Nr.: BFAP-XXL / VE: 1.000 Stück

Quelle: <https://www.pure11.de/synthetikhandschuhe-bioclean-fusion>

pure¹¹ GmbH

Bavariafilmplatz 7 | D-82031 Grünwald

Geschäftsführer: Gitte Hansen, Julian Kropp

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

www.pure11.de

info@pure11.de

BIOCLEAN FUSION

Non-sterile Polychloroprene Gloves
BFAP

About

BioClean Fusion Polychloroprene Gloves offer protection from a range of chemicals* and high tactility and comfort. The ultra clean glove is double donnable and features a beaded cuff for strength and stability on the arm.

Specifications

COMPATIBILITY:
ISO Class 4

LENGTH:
290mm (11.4")

MATERIAL:
Polychloroprene

PROTEIN LEVEL:
Polychloroprene contains no natural latex proteins

SURFACE:
Finger-textured

SHAPE:
Ambidextrous

COLOUR:
Green

ULTRA CLEAN

DOUBLE-DONNABLE

CHEMICAL RESISTANT*

Features

- Low particulate count
- Powder-free & latex-free
- Excellent ESD properties
- Easy double-donning

EN 421:2010 ISO 374-5:2016



EN ISO 374



CE 0598

Ansell



Quality Standards

- Manufactured in a facility holding ISO 9001:2015 and (EU)2016/425 Module D certifications
- Conforms to Category 3 - Complex Design Personal Protective Equipment PPE Regulation (EU)2016/425
- Processed in an NEBB certified ISO Class 4 environment
- Complies with the requirements of European Glove Standards EN420:2003 +A1:2009, EN374-1:2016, EN374-5:2016 and EN421:2010
- Physical properties comply with European Medical Glove Standard EN455-2:2015
- Suitable for contact with all foodstuffs. Regulation (EC)1935/2004 and (EC) 2023/2006.

Shelf Life & Storage

Five (5) years from date of manufacture. Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

Physical Properties

CHARACTERISTICS	VALUE	TEST METHOD
Freedom From Holes	AQL 0.65 Performance Level 3	EN 374-2:2015
Glove Length +/-10mm (mm/inches)	290/11.4	EN 420:2003 + A1:2009
Single Wall Thickness Minimum (mils/mm)	Cuff: 2.76/0.07 Palm: 3.94/0.10 Finger Tip: 4.72/0.12	EN 455-2:2015
Force At Break During Shelf Life	≥6 N	EN 455-2:2015

PALM WIDTHS (mm) ± 5mm						
SIZE	XSmall	Small	Medium	Large	XLarge	XXLarge
mm	76	86	95	106	115	120
TEST METHOD				EN 420:2003 + A1:2009		

Glove Cleanliness Characteristics

PARTICLES				TYPICAL PARTICLE COUNT				TEST METHOD
$\geq 0.5\mu\text{m}(\text{counts}/\text{cm}^2)$				850				IEST-RP-CC005.4
TYPICAL EXTRACTABLE IONS								TEST METHOD
ANIONS	Fluoride	Chloride	Nitrite	Bromide	Nitrate	Phosphate	Sulphate	IEST-RP-CC005.4
($\mu\text{g}/\text{cm}^2$)	ND	0.194	ND	ND	0.884	ND	0.025	
CATIONS	Lithium	Sodium	Ammonium	Potassium	Calcium	Magnesium	Zinc	
($\mu\text{g}/\text{cm}^2$)	ND	0.099	0.003	0.315	0.652	0.007	ND	
ND = Not Detected, NT = Not Tested								

TO ORDER

Re-order code

BFAP-XS
BFAP-S
BFAP-M
BFAP-L
BFAP-XL
BFAP-XXL

Size

XSmall
Small
Medium
Large
XLarge
XXLarge

Packing

100 pieces per sealed inner PE bag; one inner PE bag per sealed outer PE bag; 10 outer bags per lined carton (1000 pieces)

For additional information visit us at www.bioclean.com, or contact us at;

Nitritex Ltd

Minton Enterprise Park
Oaks Drive
Newmarket, Suffolk
CB8 7YY
United Kingdom
Tel: +44 1638 663338

Ansell US

111 Wood Avenue South
Suite 210
Iselin, NJ 08830
USA
Tel: +1 800 800 0444

Nitritex (M) Sdn.Bhd

2 Jalan Jurunilai U1/20
Seksyen U1, Hicom Glenmarie Industrial Park
40150 Shah Alam, Selangor
Malaysia
Tel: +603 5569 3857/3859

BFAP/1904/PDS35




Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

*Warning: No glove provides complete protection against all chemicals. Users must test the gloves against the particular chemicals and environment in which they will be used.

**Please see product validation pack or contact Ansell customer service for specific data on use of gloves with cytotoxic drugs. Gloves used for protection against such drugs must be selected specifically for the type of chemicals used.

Ansell, ® and TM are trademarks owned by Ansell Limited or one of its affiliates. © 2012 – 2019 Ansell Limited. All Rights Reserved.



European Standard EN374-3:2003
Protective gloves against chemicals and micro-organisms

Part 3: Determination of resistance to permeation by chemicals
Permeation time in minutes

Tested Chemical	Breakthrough Time	Permeation Performance Level
Ammonium Fluoride 40%	>480	6
Phosphoric Acid 85%	>480	6
Tetramethylammonium hydroxide 3%	>480	6
Hydroxylmaine 10%	>480	6
Trichloroacetic Acid 100%	106	3
Dimethylacrylamide 5%	>480	6
Hydrochloric Acid 32%	>480	6
Formaldehyde 30%	>480	6
Sodium Hypochlorite 12%	>480	6
Hydrogen Peroxide 5%	>480	6
Sulphuric Acid 20%	>480	6
Sodium Hydroxide 1%	>480	6

A glove shall have at least a permeation performance level 2 when tested against three chemicals taken from the list of chemicals below;

Methanol, Acetone, Acetonitrile, Dichloromethane, Carbon Disulphide, Toluene, Diethylamine
Tetrahydrofurane, Ethyl acetate, n-Heptane, Sodium Hydroxide 40%, Sulphuric Acid

MASTER CODE

SPECIFICATIONS

PACKAGING

PRODUCT CERTIFICATIONS

BFAP

290mm (11.4")
Polychloroprene
ISO Class 4
Category 3

100 pieces per sealed inner PE bag;
One sealed inner PE bag per sealed outer PE bag;
10 outer PE bags per carton liner;
One carton liner per carton (1000 pieces)



GB10/81851

GB04/61092

UK e-mail: info@nitritex.com
Tel: +44 (0) 1638 663338
Fax: +44 (0) 1638 668890
Nitritex Ltd, CB8 7YY, United Kingdom

