



Tuch Vectra AlphaSorb 10

pure¹¹-Nr.: 06027, Hersteller: ITW Texwipe

Zusammenfassung

- Neue pure11-Artikelnummer (ab 01.07.2023): 1106027
- Material: Polyester
- Gewicht: 185 g/m²
- Gestrick aus 100% Polyester
- Doppellagig
- Versiegelte Kanten
- Vorgewaschen
- Lieferform: gelegt

Empfohlene Reinraumklassen

ISO 3 4 5 6 7 8 9

GMP C D

Produktvarianten

pure¹¹-Nr.: **060272323**

Farbe: Weiß / Maße: 23 x 23 cm (9 x 9") / Herst.-Nr.: TX1050 / VE: 100 Stück

Quelle: <https://www.pure11.de/tuch-vectra-alphasorb-10>

Vectra® AlphaSorb® 10 Wipers

High-sorbency performance in a premium, sealed-border polyester wiper for critical cleanroom environments



Description

Vectra® AlphaSorb® 10 is a sealed-border, two-ply, double-knit, 100% continuous-filament polyester wiper offering high-sorbency performance. All four cut edges of the wiper are thermally sealed, forming a border to prevent particle and fiber release. AlphaSorb® 10 represents state-of-the-art wiper technology and provides the optimum combination of features in a cleanroom wiper—absorbency, cleanliness and abrasion resistance.

AlphaSorb® 10 is also available pre-wetted as a CleanPak® with a semiconductor-grade isopropyl alcohol/deionized water solution. It is packaged in a convenient, resealable dispenser bag.

Features

- 100% synthetic fiber (continuous-filament, double-knit polyester)
- Unique two-ply, pinsoniced construction
- Thermally sealed border
- Laundered and packaged at ITW Texwipe's Cleanroom Products Manufacturing Center
- Solvent-safe Bag-Within-A-Bag® cleanroom packaging
- Statistical quality control

Benefits

- Reduces wiper usage with high-absorbency, two-ply construction
- Assures cleanliness with ultralow levels of particles and extractables
- Helps prevent cleanroom contamination by minimizing fiber and particle release
- Resists abrasion under rigorous use
- Bag-to-bag traceability

Applications

- Engineered for high-sorbency use in the most critical cleanroom environments, such as semiconductor and pharmaceutical manufacturing
- Two-ply construction for both spill control and general wiping areas where contamination control and absorbency are of paramount importance

Products

TX Number	Dry Wipers	Packaging
TX1050	Vectra® AlphaSorb® 10 9" x 9" nominal (23 cm x 23 cm) two-ply, double-knit polyester, sealed-edge wipers	100 wipers/bag, 2 inner bags of 50 wipers; 10 bags/case
TX1052*	AlphaSorb® 10 12" x 12" nominal (31 cm x 31 cm) two-ply, double-knit polyester, sealed-edge wipers	100 wipers/bag, double bagged; 6 bags/case
CleanPaks		
TX1057	AlphaSat® 9" x 9" nominal (23 cm x 23 cm) wipers pre-wetted with 10% IPA/90% DIW	40 wipers/ reclosable bag; 12 bags/case

* TX1052 not Vectra® processed



North America
1210 South Park Drive
Kernersville, NC 27284
Tel (800) TEXWIPE
(336) 996-7046
Fax (336) 996-2297
www.texwipe.com
info@texwipe.com

Europe/Middle East
Skejby Nordlandsvej 307
DK-8200 Aarhus N
Denmark
Tel +45 87 400 220
Fax +45 87 400 222

Asia/Pacific
50 Tagore Lane
#02-01 Entrepreneur Centre
Singapore 787494
Tel +65 6468 9433
Fax +65 6468 6772

Vectra® AlphaSorb® 10 Wipers

TX1050 TX1052

Performance Characteristics

Property	Typical Value	Test Method*
Basis weight	185 g/m ²	1, TM20
Absorbency		
Sorptive capacity	540 mL/m ²	1, TM20
Sorptive rate	0.5 seconds	1, TM20

Contamination Characteristics

Property	Typical Value	Test Method*
LPC		
≥ 0.5 µm	2.7 x 10 ⁶ particles/m ²	1, TM22
Particles and fibers		
Particles 0.5-5.0 µm	.8 x 10 ⁶ particles/m ²	1, 2, TM22
5.0-100 µm	43,500 particles/m ²	1, 2, TM22
Fibers >100 µm	100 fibers/m ²	1, 2, TM22
Nonvolatile residue		
IPA extractant	0.04 g/m ²	1, TM1
DIW extractant	0.01 g/m ²	1, TM1
Ions		
Sodium	0.11 ppm	1, TM18
Potassium	0.13 ppm	1, TM18
Chloride	0.008 ppm	1, TM18

Note: The data in this table represent typical analyses of these wipers at the time of publication. These are not specifications. ITW Texwipe continually refines both its processes and its products.

*Test Methods

- 1 – “Evaluating Wiping Materials Used in Cleanroom and Other Controlled Environments,” IEST-RP-CC 004.3, Institute for Environmental Sciences and Technology, Rolling Meadows, IL 2004; www.iest.org.
- 2 – “Standard Method for Size-Differentiated Counting of Particles and Fibers Released from Clean Room Wipers Using Optical and Scanning Electron Microscopy,” E2090-00, ASTM International, West Conshohocken, PA, 2000; www.astm.org.
- TM – Refers to ITW Texwipe Test Method — available upon request, contact ITW Texwipe Customer Service at www.texwipe.com for a copy.

ITW Texwipe is the only wiper company to be ISO 9001:2000, 13485:2003, 14001:2004 and OHSAS 18001:1999 registered.