



Tuch TexWipe Vertex

pure¹¹-Nr.: 06094, Hersteller: ITW Texwipe



Zusammenfassung

- Neue pure11-Artikelnummer (ab 01.07.2023): 1106094
- Material: Polyester
- Gewicht: N/A
- Gestrick aus 100% Polyester
- Hohe Absorptionskraft
- Sehr weiches Tuch für empfindliche Oberflächen
- Gute Chemikalienbeständigkeit
- Lasergeschnittene Kanten
- Hands-free Herstellung in ISO 3 Reinraum
- Auf Endotoxine getestet
- Lieferform: geschüttet (bulk)

Empfohlene Reinraumklassen

ISO



GMP



Produktvarianten

pure¹¹-Nr.: 060943131

Farbe: Weiß / Maße: 12 x 12 cm (12 x 12") / Herst.-Nr.: TX42 / VE: 1.000 Stück

pure¹¹-Nr.: 060942323

Farbe: Weiß / Maße: 23 x 23 cm (9 x 9") / Herst.-Nr.: TX49 / VE: 1.500 Stück

Quelle: <https://www.pure11.de/tuch-texwipe-vertex>



The Next Level of Clean™

Vertex™ High Sorption Wipers

TX42 and TX49 are 100% continuous-filament, polyester knit fabric wipers, Made in the USA, from virgin stock and processed on Texwipe's revolutionary Vertex™ manufacturing system. The wiper's unique design provides a very soft feel and high sorptive capacity.

The Vertex™ manufacturing process cleans, converts, and packages wipers in an integrated, hands-free micro-environment. Vertex™ wipers are manufactured in an ISO Class 3 environment with a small physical footprint which provides for a more sustainable process.

Untouched by human hands until you open the bag to use them, Vertex™ wipers carry the highest level of assurance of contamination control among cleanroom wipers.

Features

- » Unique fabric structure
- » High sorption capacity
- » Quarterly microbial testing by Agarose Overlay and Limulus Amebocyte Lysate (LAL) endotoxin testing
- » 9" or 12" wiper size in both dry and prewetted versions

Benefits

- » Soft feel for use with delicate surfaces or applications
- » Reduces number of wipes needed for spill control
- » Provides assurance that the wiper does not carry cytotoxic leachables and is nonpyrogenic
- » Versatile wiper capable of high performance in a variety of demanding applications

Products

Number	Dry Wipers		Packaging
TX42	Vertex™	12" x 12" nominal (30 cm x 30 cm) laser edge wipers	100 wipers/bag, 10 bags/case
TX49	Vertex™	9" x 9" nominal (23 cm x 23 cm) laser edge wipers	150 wipers/bag, 10 bags/case
Number	Pre-Wetted Wipers		Packaging
TX42P	Vertex™	12" x 12" nominal (30 cm x 30 cm) laser edge wipers pre-wetted with 70% USP-Grade IPA / 30% DIW	50 wipers/bag, 4 bags/case
TX49P	Vertex™	9" x 9" nominal (23 cm x 23 cm) laser edge wipers pre-wetted with 70% USP-Grade IPA / 30% DIW	75 wipers/bag, 4 bags/case

ITW Texwipe is the only wiper company to be ISO 9001:2000, 13485:2003, 14001:2004 and OHSAS 18001:1999 registered.



For more information contact us at the numbers below or www.texwipe.com

©2011 ITW Texwipe Printed in USA • Effective: June 2011

North America Office
P: (800) 839-9473
F: (336) 996-2297

Asia/Pacific Office
P: +65 6468 9433
F: +65 6468 6772

Europe/Middle East Office
P: +31 88 1307 400
F: +31 88 1307 499

Vertex™ Dry Wipers

Performance and Contamination Characteristics

Property	Typical Value	Test Method*
Absorbency		
Sorptive capacity	450 mL/m ²	1, TM20
Sorptive rate	0.3 seconds	1, TM20
LPC		
≥0.5 μm	9.5 x 10 ⁶ particles/m ²	1, TM22
Particles and fibers		
Particles 0.5–5.0 μm	3.0 x 10 ⁶ particles/m ²	1, 2, TM22
5.0–100 μm	66,000 particles/m ²	1, 2, TM22
Fibers >100 μm	200 fibers/m ²	1, 2, TM22
Nonvolatile residue		
IPA extractant	0.02 g/m ²	1, TM1
DIW extractant	0.01 g/m ²	1, TM1


Property	Typical Value	Test Method*
Ions		
Fluoride	ND	1, TM18
Chloride	<0.05 ppm	1, TM18
Bromide	ND	1, TM18
Sulfate	<0.02 ppm	1, TM18
Phosphate	ND	1, TM18
Lithium	ND	1, TM18
Sodium	<0.17 ppm	1, TM18
Potassium	ND	1, TM18
Ammonium	ND	1, TM18
Calcium	<0.10 ppm	1, TM18
Magnesium	<0.01 ppm	1, TM18

Note: The data in these tables represent typical analyses of these wipers at the time of publication. These are not specifications. Values are reported in ppm (parts per million). Detection limit <0.009 ppm. Quantification limit of 0.009 ppm.

***Test Methods**



- 1 – IEST-RP-CC004.3, 2004; www.iest.org.
- 2 – ASTM E2090-06, 2006; E2090-06, ASTM International; www.astm.org.
- TM – Texwipe Test Method available upon request. Visit www.texwipe.com or contact Texwipe Customer Service at +1-336-996-7046.

Wiper Consistency Data



The components of a Consistency Chart are:

- » Line – represents the median or middle value of a ranked data set.
- » Box – represents the range of values in which fifty percent of the data lie.
- » Whisker – the line at each end of the box, expresses a range of values in which twenty-five percent of the data set lie.
- » Outlier – indicates points that are significantly different than the rest of the data set.



Lower medians, smaller boxes and shorter whiskers together indicate cleaner and more consistent wipers.

