



Tuch CELOS Wiper 2.10

pure¹¹-Nr.: 06239, Hersteller: CELOS



Zusammenfassung

- Neue pure11-Artikelnummer (ab 01.07.2023): 1106239
- Material: Polyester/Zellulose
- Gewicht: 60 g/m²
- Tränkung: Keine
- Vliesstoff (50% Zellulose/50% Polyester)
- Hydroverfestigt (nonwoven)
- Hohe Absorptionskraft
- Fusselarm
- Niedrige Anzahl an Partikeln und Fasern
- Gute Chemikalienbeständigkeit
- Sauber geschnittene Kanten (einzeln geschnitten)
- Entwickelt zum Wischen und Reinigen von Oberflächen aller Art in kontrollierten Umgebungen und Sterilbereichen
- Gut geeignet für empfindliche Oberflächen
- Hervorragende chemische Beständigkeit für die Kompatibilität mit einer Vielzahl von Reinigungs- und Desinfektionsmitteln
- Gammasterilisiert (inkl. Sterilisationszertifikat)
- Lieferform: gelegt

Empfohlene Reinraumklassen

ISO 3 4 5 6 7 8 9

GMP A/B C D

Produktvarianten

pure¹¹-Nr.: 062392323

Farbe: Weiß / Maße: 23 x 23 cm (9 x 9") / Herst.-Nr.: 2.10 / VE: 150 Stück

pure¹¹-Nr.: 062393131

Farbe: Weiß / Maße: 31 x 31 cm (12 x 12") / Herst.-Nr.: 2.10 / VE: 150 Stück

Quelle: <https://www.pure11.de/tuch-celos-wiper-210>

pure¹¹ GmbH

Bavariafilmpfad 7 | D-82031 Grünwald

Geschäftsführer: Gitte Hansen, Julian Kropp

AG München HRB 171307

T +49 89 5589434 0

F +49 89 5589434 77

www.pure11.de

info@pure11.de

CELOS® Wiper 2.10

Product information:

<i>Material</i>	Cellulose/Polyester
<i>Process</i>	Non-woven fabric wiper - 50 % virgin cellulose and 50 % polyester fibre
<i>Application</i>	Cleanroom wiper for wet and dry applications, ideal for cleaning, wiping and as soft support
<i>Cutting process</i>	Individual cut
<i>Basic weight</i>	60 g (+/- 5 g)
<i>Color</i>	White
<i>Thickness</i>	0.23g (+/- 0.05 mm)

Products:

<i>Part number</i>	<i>Style</i>	<i>Size</i>	<i>Inner packing</i>	<i>Quantity per case</i>
062391010	Sterile	10 x 10 cm (4 x 4")	20 pcs/IB 4 IB/OB	100 OB/case
062392323	Sterile	23 x 23 cm (9 x 9")	25 pcs/IB 6 IB/OB	12 OB/case
062393131	Sterile	31 x 31 cm (12 x 12")	25 pcs/IB 6 IB/OB	10 OB/case

IB=Inner Bag; OB=Outer Bag

Characteristics:

- Mixing process without chemical adhesion, reduces chemical impurities
- High bidirectional strength of material due to hydroentanglement
- Suitable for soft surfaces and sensitives components
- Inspection of every wiper
- Individual cutting of every piece
- Double packaging
- Irradiated by gamma
- Production and packaging in a controlled environment

Performance parameter:

	<i>Specification</i>	<i>Unit</i>
LPC (≥0.5µm)	< 8000	counts/cm ²
Absorbency Capacity	> 240	mL/m ²
Minimum irradiation dose	25	kGy
Maximum irradiation dose	50	kGy

pure¹¹ has made every attempt to ensure the accuracy and reliability of the information provided in this datasheet. However, the information is provided "as is" without warranty of any kind. pure¹¹ does not accept any responsibility or liability for the accuracy, content, completeness, legality, or reliability of the information contained.