



## Tupfer Medium CleanFoam Swab

pure<sup>11</sup>-Nr.: 06352, Hersteller: ITW Texwipe

### Zusammenfassung

- Neue pure11-Artikelnummer (ab 01.07.2023): 1106352
- Polyurethan-/Schaumstoff-Tupfer mit Polypropylengriff
- Kopflänge: 2,5 mm
- Kopfbreite: 3,4 mm
- Grifflänge: 50,0 mm
- Spitze, strukturierte Tupferform sowie spitzes Ende des Griffs

### Empfohlene Reinraumklassen

ISO  3  4  5  6  7  8  9

GMP      C  D

### Produktvarianten


pure<sup>11</sup>-Nr.: 06352

Herst.-Nr.: TX752B / VE: 500 Stück

Quelle: <https://www.pure11.de/tupfer-medium-cleanfoam-swab-0>

# Medium Compressed CleanFoam® Swab

CleanFoam® Series



## Description

The Medium Compressed CleanFoam® Swab is an excellent swab for cleaning small slotted and grooved areas. Its compressed, laundered CleanFoam® head possesses good firmness and a pointed tip. A compact, tapered handle and pointed internal head core provide excellent support. Side ridges on the long head provide additional cleaning abilities and soil entrapment.

## Features

- Laundered polyurethane CleanFoam® head over rigid precision tip
- Compressed, 100 ppi open-cell structure
- Compact, light green polypropylene handle
- Thermally bonded head
- Firm, nonabrasive tip

## Benefits

- Low nonvolatile residue
- Low particle generation
- Good sorbency and excellent solvent hold
- No contaminating adhesives
- Good chemical resistance

## Applications

- Cleaning small areas with solvents such as IPA
- Applying lubricants and other liquids
- Removing excess materials

## Products

TX Number	Description	Packaging
<b>TX752B</b>	Medium Compressed CleanFoam® Swab	Bag-Within-A-Bag®; 500 swabs/bag; 5 inner bags of 100 swabs; 5 bags/case

**ITW Texwipe®**

**North America**  
1210 South Park Drive  
Kernersville, NC 27284  
Tel (800) TEXWIPE  
(336) 996-7046  
Fax (336) 996-2297  
[www.texwipe.com](http://www.texwipe.com)  
[info@texwipe.com](mailto:info@texwipe.com)

**Europe/Middle East**  
Skejby Nordlandsvej 307  
DK-8200 Aarhus N  
Denmark  
Tel +45 87 400 220  
Fax +45 87 400 222

**Asia/Pacific**  
50 Tagore Lane  
#02-01 Entrepreneur Centre  
Singapore 787494  
Tel +65 6468 9433  
Fax +65 6468 6772

# Medium Compressed CleanFoam® Swab

TX752B

## Physical Characteristics

Head material	100 ppi open-cell CleanFoam®
Head width	3.4 mm (0.134")
Head thickness	3.4 mm (0.134")
Head length	20.0 mm (0.787")
Handle material	Polypropylene
Handle width	2.5 mm (0.098")
Handle thickness	2.5 mm (0.098")
Handle length	50.0 mm (1.969")
Total swab length	70.0 mm (2.756")
Head bond	Thermal
Handle color	Light green
Design notes	Precision pointed tip, side ridges; compact handle

## Contamination Characteristics

Property	Measurement	Test Method*
Nonvolatile residue		
IPA extractant	0.03 mg/swab	TM10: Procedure for Determining the Nonvolatile Residue (NVR) Extractable from Swabs in a Given Solvent
Ions		TM12: The Determination of Ions in Wipers and Other Materials by Capillary Ion Analysis (CIA)
Chloride	0.03 µg/swab	
Sulfate	<0.01 µg/swab	
Nitrate	<0.01 µg/swab	
Phosphate	<0.01 µg/swab	
Fluoride	<0.01 µg/swab	
Potassium	0.04 µg/swab	
Calcium	0.01 µg/swab	
Sodium	0.09 µg/swab	
Magnesium	<0.01 µg/swab	

\*Test procedures available upon request.