



Klebefolienmatte L30-8, High Tack

pure¹¹-Nr.: 08020, Hersteller: PURUS

Zusammenfassung

- Neue pure11-Artikelnummer (ab 01.07.2023): 1108020
- Klebekraft: stark klebend
- Anzahl Lagen: 30
- 30 transparente Lagen pro Matte
- Mattengrundlage: Blau
- Dicke/Stärke der Matte: 1,5 mm
- Enthält erneuerbare, pflanzliche Materialien
- Reduzierte CO₂-Emissionen bei der Herstellung
- Besonders hohe Stabilität und Adhäsion
- Antimikrobiell ausgerüstet
- Schichten/Folien mit abnehmender Indexnummerierung

Empfohlene Reinraumklassen

ISO	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
GMP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Produktvarianten

pure¹¹-Nr.: 08020B

Farbe: Blau / Maße: 66 x 114 cm / Herst.-Nr.: PM 2645 38 B-HT / VE: 8 Stück

Quelle: <https://www.pure11.de/klebefolienmatte-l30-8-high-tack-0>



PurusMats

The first step to something better



Superior Quality Purus Biohibrid™ mats are produced in an ISO 9000 factory. The completely integrated manufacturing process with film extrusion, coating, laminating and converting ensures consistent quality. A consistent coat weight of adhesive yields a higher performing mat without excessive tack issues. The correct softness enables dirt to embed into the adhesive with just enough thickness to accept and contain the particles. QC test data and reports are available for each shipment or case of product.

Multi-Layered Construction Purus Biohibrid™ mats are available in 30 or 60 layer versions. Each layer of the Purus Biohibrid™ mat is fully

coated with a particle grabbing adhesive and constructed of low density polyethylene film. A low profile numbered tab indicates the number of remaining layers and ensures one-layer-at-a-time removal.

Visit us at puruseurope.com
for the full line of Purus products

Product Availability Standard sizes and colors are on-hand and can be shipped within time frames that meet most customer expectations. Custom sizes and configurations are available with extended lead times.





Purestep

Multi-layered, adhesive-coated Biohibrid™ mat that removes dirt and dust from foot traffic and wheels prior to their entry into a critical manufacturing environment.

Characteristics

- QC test data and reports available for each shipment or case
- Low profile, numbered tabs
- Available in 30 or 60 layers with four or eight mats/case.
- Consistent adhesive coverage ensures maximum performance of each layer

Specifications	Regular Tack	High Tack
Film	Low density polyethylene	Low density polyethylene
Adhesive	Acrylic	Acrylic
Adhesive Thickness	0.3 mil. / 8 µm	0.3 mil. / 8 µm
Peel Adhesion “top”	6.5 oz. / 190g/25mm ± 40	9.25 oz. / 250g/25mm ± 40
Heat Resistance	158°F / 70° C – 48 Hours	158°F / 70° C – 48 Hours

Purus Catalog Number				
30 Layer-4/cs	30 Layer-8/cs	60 Layer-4/cs	Size (*)	Color (**)
PM 1836 34 W	PM 1836 38 W	PM 1836 64 W	457x914	White
PM 1845 34 W	PM 1845 38 W	PM 1845 64 W	457x1143	White
PM 2436 34 W	PM 2436 38 W	PM 2436 64 W	610x914	White
PM 2645 34 W	PM 2645 38 W	PM 2645 64 W	660x1143	White
PM 3645 34 W	PM 3645 38 W	PM 3645 64 W	914x1143	White

Purus Catalog Number				
30 Layer-4/cs	30 Layer-8/cs	60 Layer-4/cs	Size (*)	Color (**)
PM 1836 34 B	PM 1836 38 B	PM 1836 64 B	457x914	Blue
PM 1845 34 B	PM 1845 38 B	PM 1845 64 B	457x1143	Blue
PM 2436 34 B	PM 2436 38 B	PM 2436 64 B	610x914	Blue
PM 2645 34 B	PM 2645 38 B	PM 2645 64 B	660x1143	Blue
PM 3645 34 B	PM 3645 38 B	PM 3645 64 B	914x1143	Blue

(*) Contact your Sales Representative for complete list of sizes available

(**) Grey and clear are also available in select sizes and configurations

(***) The specifications listed above relate to all sizes of mats produced even though the size may not be listed on this sheet

Purus Mat

Contamination Control Mats HIGH TACK

Specifications:

Purus Mat is the newest most advanced cleanroom mat to be introduced to the market. It is a multi-layered, adhesive coated mat that removes dirt and dust from foot traffic and wheels prior to their entry into a clean or controlled environment. Each numbered layer is fully coated with a “particle grabbing” adhesive. Once the layer is saturated, easy and quick removal of the layer reveals another clean surface.

Sizes: 18”x 36”
24”x 36”
18”X45”
26”X 45”
36”X 36”
36”x 45”
Other sizes available

Colors: White, Blue and Grey

Layers: 30 layers (8 mats per case)
60 layers (4 mats per case)

Mat Layers: 1.8 mil (45 micron) low density polyethylene.

Adhesive: Acrylic based

Adhesive Thickness: 0.3 mil (8 micron)

Film: Low density polyethylene

Peel Adhesion: 9.25oz./250g/25mm \pm 20 (individual layers)
24 oz./680g/25mm \pm 50 (bottom layer)

Tensile Strength: >1.2kg/cm

Heat Resistance: 158°F / 70° C – 48 hours

All specification +/- 5%

1/2/03